

innovative display solutions

flexyPage Displays

LT-Line 12,1 16:9 (30,7 cm)

Model: 2019 12V and 24V

Mechanical Drawings



About flexyPage documentation



This document provides an overview of possibilities of what can be realised with the flexyPage system. It constitutes only a small part of the whole documentation and is undergoing continual improvement.

The documents, images, graphics and videos, as well as hard and software are protected by copyright. It is prohibited to copy or circulate this document without prior written consent. Translations do also require a written declaration of consent. The ELFIN GmbH is sole contact regarding copies, translations and similar concerns.

This documentation is continuously revised and updated with the greatest of care. Nevertheless, errors cannot be excluded. We are pleased to hear your comments, helpful references and suggestions about this documentation. Please contact our sales department or support for that.

The ELFIN GmbH will not accept any liability for errors or any potential damage and their consequences in conjunction with delivery or usage of this document.

Please carefully read the user manuals, product data sheets, safety instructions and mounting instructions before using!




The actual user manual as well as other documents and application cases can be found at the product website:


Introduction to the flexyPage system
Quick starting guide
Video tutorials
flexyPage user manual
Widget descriptions
Product data sheets
Frequently asked questions
Sales contact
Support contact

Manufacture homepage


flexypage.de/en/documentation flexypage.de/en/documentation flexypage.de/en/tags/video-tutorials flexypage.de/en/documentation flexypage.de/en/documentation flexypage.de/en/faq flexypage.de/en/sales flexypage.de/en/support elfin.de

Dimensions flexyPage display






*Cutout




Order No.: fel4B-02A-121A2 fel4C-02A-121A2 subject to modifications	Title Mechanical drawing LT-Line 12,1 16:9 (30,7 cm) open frame		
	Drawing No.: fel4x-02A-121A2_MD_V1.0		
Tolerances +/- 0,5 mm	Scale:	Date: 2019-12-03	Drawn by: VSc

Accessory parts - dimensions stainless steel frame for flexyPage display stainless steel frame with welding studs M3 x 20 mm $\,$




stainless steel frame with countersunk holes M4




^{*}external dimensions display / monitor

Order No.: welding studs: zbs1A-02A-121A-FEB	Title stainless steel frame for LT-Line 12,1 16:9 (30,7 cm) open frame		
countersunk holes: zbs1A-02A-121A-FES	Drawing No.: fel4x-02A-121A2_frames_V1.0		
subject to modifications			
Tolerances +/- 0,1 mm	Scale:	Date: 2019-12-03	Drawn by: VSc

Accessory parts - VSG safety glass panel + acrylic glass panel for 2 mm front panel



VSG safety glass 6 mm for 2 mm front panel Acrylic glass
4 mm for 2 mm front panel





Order No.

Description

zbs1A-02A-121A2-SPE zbs1A-02A-121A2-SGE acrylic glass LT-Line 12,1 16:9 (30,7 cm) anti-glare VSG safety glass LT-Line 12,1 16:9 (30,7 cm) anti-glare

Order No.: zbs1A-02A-121A2 subject to modifications	Title cover glass LT-Line 12,1 16:9 (30,7 cm) open frame		
	Drawing No.: fel4x-02A-121A2_cover_glass_V1.0		
Tolerances +/- 0,1 mm	Scale:	Date: 2019-12-03	Drawn by: JHell

Document history

Version	Release Date	Changes
0.9	2018-01-11	pre version
1.0	2019-02-26	New mechanical drawings
1.1	2019-12-03	Туро
1.2	2021-02-18	New glass drawings
1.3	2022-03-18	New address

Your contact persons at ELFIN

Even an extensive documentation cannot answer every question. Do you still have questions or suggestions concerning our flexyPage system? We look forward to your requests! Please don't hesitate to contact us at:

ELFIN Technology GmbH

Im Zollhafen 22 50678 Cologne Germany

Phone: +49 (221) 6778932-0 FAX: +49 (221) 6778932-2

service@elfin.de www.elfin.de



Sales flexyPage

flexypage.de/en/sales Phone: +49 (221) 6430816-2 FAX: +49 (221) 6778932-2 sales@flexyPage.de

Support flexyPage

flexypage.de/en/support Phone: +49 (221) 6430816-3 support@flexyPage.de



innovative display solutions